APPARATUS AND METHOD FOR ADMINISTRATION OF MEDICATION

Publication number: WO0105352 Publication date:

2001-01-25

ASHWORTH ANDREW JOHN (GB); ASHWORTH

LORNA E B (GB)

Applicants

ASHWORTH ANDREW JOHN (GB); ASHWORTH

LORNA E B (GB)

A61J7/00; A61K9/00; A61J7/00; A61K9/00; (IPC1-7): A61J7/00; A61J1/03; A61K9/70

A61K9/00Z2; A61J7/00; A61K9/00M18D

Application numbers WO2000GB02758 20000718

Priority number(s): GB19990016773 19990719; GB20000002342 20000202

Report a data error here

Citad docus

US5167244

WO9103271

U\$3948254

Abstract of WO0105352

Apparatus and method for the mucosal administration of medication. The apparatus has a vehicle adapted for delivery of said medication. The vehicle is retrievable after use to allow a supervisor to ensure that the medication has been correctly administered and to prevent misuse of any unadministered drug. Typically the vehicle is adapted to be retrievable substantially intact after delivery.

Data supplied from the esp@cenet database - Worldwide

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 25 January 2001 (25.01.2001)

PCT

(10) International Publication Number WO 01/05352 A1

- (51) International Patent Classification7: 1/03, A61K 9/70
- A61J 7/90,
- (21) International Application Number: PCT/GB00/02758
- (22) International Filing Date:
- 18 July 2000 (18.07.2000)
- (25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

9916773.6 0002342.4 19 July 1999 (19.07.1999) GB

2 February 2000 (02.02.2000) G

- (71) Applicants and
- (72) Inventors: ASHWORTH, Andrew, John [GB/GB]; 22 Springfield, South Queensferry, West Lothian EH30 9XD (GB). ASHWORTH, Lorna, E., B. [GB/GB]; 22 Springfield, South Queensferry, West Lothian EH30 9XD (GB).
- (74) Agent: MURGITROYD & COMPANY; 373 Scotland Street, Glasgow G4 8QA (GB).


- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, CE, GH, GM, HR, HU, ID, IL, IN, IS, IP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

- With international search report.
- Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: APPARATUS AND METHOD FOR ADMINISTRATION OF MEDICATION



(57) Abstract: Apparatus and method for the mucosal administration of medication. The apparatus has a vehicle adapted for delivery of said medication. The vehicle is retrievable after use to allow a supervisor to ensure that the medication has been correctly administered and to prevent misuse of any unadministered drug. Typically the vehicle is adapted to be retrievable substantially intact after delivery.

PCT/GB00/02758 WO 01/05352

1	
2	
3	
4	·
5	·
6	
7	
8	•
9	
10	Apparatus and Method for Administration of Medication
11	
12	This invention relates to an apparatus and method for
13	administration of medication.
14	
15	Opiate/opioid addicts may be treated by controlled
16	administration of substitute medication. Some such
17	substitute medication is normally administered by
18	mucosal route under supervision. However such
19	medication has more potent effect if injected or
20	"snorted". There is also a thriving black market for
21	such medication. It is relatively simple for a patient
22	to divert such medication for alternative use or
23	resale, even when it is administered under supervision.
24	
25	According to the present invention there is provided an
26	apparatus for the mucosal administration of medication
27	comprising a vehicle adapted for delivery of said
28	medication.
29	
30	Said vehicle may be retrievable after use. Typically
31	said vehicle is adapted to be retrievable substantially
32	intact after delivery.

2

WO 91/05352 PCT/GB00/02758

1	
2	Preferably said vehicle is adapted to enclose said
3	medication. Additionally or alternatively said vehicle
4	may be adapted to be impregnated with said medication.
5	•
6	Said vehicle may be adapted to fit in the mouth. Said
7	vehicle may be adapted to fit under the tongue.
8	
9	Preferably said vehicle is comprised of material inert
10	to saliva. More preferably said vehicle is comprised
11	of material permeable to saliva.
12	
13	Typically said vehicle comprises a permeable container
14	
15	Preferably said container is adapted to receive
16	medication during its manufacture.
17	
18	Said container is preferably adapted to accommodate
19	medication in solid form. Said solid form may comprise
20	a tablet. Said solid form may comprise a frozen
21	liquid.
22	
23	Preferably said container is sealed. Alternatively
24	said container is adapted to be sealed.
25	
26	Further according to the present invention there is
27	provided a method of administration of medication

30 supervising a patient while the vehicle is placed in a

including said medication in a vehicle;

comprising the steps of:

31 patient's mouth;

28

29

3

Ø 021

MAY 1 7 2010

WO 01/85352

PCT/GB00/02758

				_				
waiting	until	the	contents	of	the	vehicle	have	been

- 2 absorbed into the patient's bloodstream;
- 3 reclaiming the vehicle; and
- 4 ensuring the vehicle is intact.

5

1

- 6 Preferably said method comprises the step of sealing
- 7 said medication within a permeable container. More
- 8 preferably said method comprises the step of sealing
- 9 said medication within a permeable container during
- 10 manufacture of said container.

11

- 12 Embodiments of the present invention will now be
- 13 described by way of example only with reference to the
- 14 accompanying drawings in which:

15

- 16 Fig 1 is a permeable container in accordance with an
- 17 aspect of the invention; and

18

- 19 Fig 2 is a permeable container in accordance with a
- 20 further aspect of the invention.

21

- 22 Referring to the drawings, an apparatus for the mucosal
- 23 administration of medicament comprises a vehicle 1 in
- 24 the form of a container 2, 3 substantially of permeable
- 25 material. The container 2, 3 is manufactured of
- 26 material that is permeable to saliva, and that does not
- 27 react with saliva.

28

- 29 In the embodiment illustrated in Fig 1, the container 2
- 30 comprises a sealed pouch 4 of permeable material.
- 31 Medication 6 is placed within the pouch 4 during
- 32 manufacture of this container 2, and the pouch 4 is

4

- then sealed. The medication is thus contained within
- 2 the sealed pouch.

3

- 4 In the embodiment illustrated in Fig 2, the container 3
- 5 comprises a pouch 8 with an opening 10, wherein the
- 6 opening 10 is adapted to be sealed. The opening 10
- 7 permits inclusion of a medicament. In this embodiment
- 8 the pouch 8 is substantially of material that contains
- 9 a percentage of nylon. The edges of the opening 10 of
- 10 the pouch can be fused by heat sealing once a
- 11 medicament is placed therein.

12

- 13 Each vehicle 1 comprises a unique identifier to prevent
- 14 its substitution.

15

- 16 This vehicle 1 is useful in administration of
- 17 opiate/opiod medication to patients.

18

- 19 An example of appropriate patients would be recovering
- 20 drug addicts. There is always the temptation for such
- 21 patients to attempt to divert the medication for later
- 22 more potent use or resale. For this reason, the
- 23 medication is administered under supervision.

24

- 25 The medication is normally in tablet form and adapted
- 26 to be delivered by mucosal route. That is, the
- 27 medicament is designed to be absorbed under the tongue
- 28 or elsewhere within the mouth. Tablets used for this
- 29 purpose are small and easily hidden.

30

- 31 The administrator presents tablets to the patient in
- 32 the sealed container 2,3 of the invention, which he

- 1 then retrieves still sealed when empty. This
- 2 allows the administrator to be satisfied that the
- 3 contents of the container 2,3 have been absorbed into
- 4 the bloodstream of the patient, and not diverted for
- 5 other purposes.

6

- 7 That is, since the vehicle 1 is recoverable intact,
- 8 there is a great degree of confidence that the
- 9 medication has been properly administered to the
- 10 intended patient.

11

- 12 The vehicle 1 of the instant invention also allows
- 13 administrators of medication to reduce the possibility
- 14 of diversion of medication with black market resale
- 15 value if it becomes a requirement that a repeat
- 16 prescription is only available on return of intact
- 17 containers 2.3. This will reduce the likelihood of
- 18 diversion of such medication for sale, for example by
- 19 pensioners.

20

- 21 In a further embodiment the structure of the vehicle 1
- 22 is impregnated with the medicament; or impregnated with
- 23 or made from material that reacts with medication
- 24 accommodated in the container 2,3 on dispensing.

25

- 26 The vehicle 1 also has application in administration of
- 27 drugs to unconscious or disabled patients. The size,
- 28 shape or nature of the vehicle 1 is adapted to prevent
- 29 inadvertent inhalation or swallowing of the vehicle 1.

30

- 31 For this purpose, the vehicle 1 has a portion adapted
- 32 to protrude from the mouth when it is in position. The

6

- protruding portion operates as a handle, allowing an
- 2 administrator to retain control of the vehicle 1, and
- 3 allowing easy removal of the spent vehicle 1 from a
- 4 patient's mouth. In one embodiment, the protruding
- 5 portion is a string or cord.

6

- 7 Details concerning the contents of the vehicle 1, for
- 8 example the dosage or patient's name or a serial number
- 9 or date, can be printed and displayed or otherwise
- 10 included on the surface of the material that comprises
- 11 the vehicle 1.

12

- 13 The vehicle 1 can be impregnated with, or otherwise
- 14 contain a pH indicator. That is, the vehicle 1 can be
- 15 customised for specific purposes.

16

- 17 The container 2, 3 will accommodate medication in
- 18 tablet form, or in any solid form such as a frozen
- 19 liquid.

20

- 21 In the embodiments of Figure 1 and Figure 2, the
- 22 container 2,3 is soft and porous, and resembles a
- 23 teabag. The material from which teabags are
- 24 manufactured is ideal for this vehicle 1. In use,
- 25 medication 6 in tablet form is enclosed within this
- 26 container 2,3. The medication 6 is either sealed in
- 27 the container 2 during its manufacture, or the
- 28 container 3 is filled and sealed by or on behalf of the
- 29 administrator. Each vehicle 1 contains a unique
- 30 identifier, such as a serial number.
- 31 The sealed container 2,3 is dispensed to the patient.
- 32 The patient is observed while he places the container

- 2,3 in his mouth or under his tongue, for the period 1
- 2 during which the medication is dissolving and being
- 3 absorbed, and as he removes the empty container 2,3
- from his mouth. 4

5

- The administrator can then use the unique identifier to б
- satisfy himself that there has been no replacement of
- containers 2,3 during this process. If this is the 8
- case, the administrator can then examine the container 9
- 2,3 to satisfy himself that the container 2,3 has not 10
- been tampered with, and remains intact. 11

12

- 13 The container 2,3 can also be made of material that is
- 14 designed to dissolve, but at a rate slower than that of
- the medication it is adapted to contain. The surface 15
- of the vehicle 1 can be impregnated with medication. 16

17

- In one embodiment, the vehicle 1 comprises a piece of 18
- 19 material impregnated with a medicament.
- 20 embodiment of the vehicle 1 does not require to be
- 21 sealed, but is still retrievable intact by the
- administrator. 22

23

- A further embodiment of the vehicle 1 comprises a 24
- container 2.3 the surface of which can be impregnated 25
- 26 with material that changes the properties of the
- 27 medication contained in the container 2,3 on
- dispensing. 28

29

- The vehicle 1 can be used to administer medication to 30
- 31 unconscious patients, and to monitor its absorption.

32

Ø1026

MAY 1 7 2010 PCT/GB00/02758

WO 01/05352

use.

The vehicle 1 has application in administering 1 medication to patients who require supervision to 2 ensure that the medication is taken, such as geriatric 3 and paediatric patients. The vehicle 1 can be coloured, flavoured, patterned or otherwise decorated 5 to make more palatable to children. 6 7 The vehicle 1 has further application for veterinary

9 10

8

The common features of all embodiments of the vehicle 1 11 are that they remain intact throughout the procedure of 12 administration of medication, and are retrievable for 13 scrutiny after administration to confirm that 14 medication has been appropriately administered.

15 16

Improvements and modifications can be made to the above 17 without departing from the scope of the invention. 18

CLAIMS

WO 01/05352 PCT/GB00/02758

9

1 2

Apparatus for mucosal administration of medication
 comprising a vehicle adapted for delivery of said

5 medication.

6

7 2. Apparatus as claimed in claim 1, wherein said vehicle is retrievable after delivery.

9

3. Apparatus as claimed in either preceding claim,

wherein said vehicle is adapted to be retrievable

12 substantially intact after delivery.

13

14 4. Apparatus as claimed in any preceding claim,

wherein said vehicle is adapted to enclose said

16 medication.

17

18 5. Apparatus as claimed in any preceding claim,

19 wherein said vehicle is adapted to be impregnated

20 with said medication.

21

22 6. Apparatus as claimed in any preceding claim,

23 wherein said vehicle is adapted to fit in the

24 mouth.

25

7. Apparatus as claimed in any preceding claim,

27 wherein said vehicle is adapted to fit under the

28 tongue.

29

30 8. Apparatus as claimed in any preceding claim,

31 wherein said vehicle is comprised of material

32 inert to saliva.

PCT/GB00/02758 WO 01/05352

		10
1		·
2	9.	Apparatus as claimed in any preceding claim,
· 3		wherein said vehicle is comprised of material
4		permeable to saliva.
5		•
6	10.	Apparatus as claimed in any preceding claim,
7		wherein said vehicle comprises a permeable
8		container.
9		
10	11.	Apparatus as claimed in Claim 10, wherein said
11		container is sealed.
L2		
13	12.	Apparatus as claimed in Claim 10, wherein said
14		container is adapted to be sealed.
15		
16	13.	Apparatus as claimed in any preceding claim,
17		wherein said container is adapted to receive
18		medication during its manufacture.
19		
20	14.	Apparatus as claimed in any preceding claim,
21		wherein said container is adapted to accommodate
22		medication in solid form.
23		
24	15.	Apparatus as claimed in Claim 14, wherein said
25		solid form comprises a tablet or said solid form
26		comprises a frozen liquid.
		·

27

16. Method for administration of medication comprising 28

29 the steps of:

including said medication in a vehicle; 30

supervising a patient while the vehicle is placed 31

32 in a patient's mouth;

11

- waiting until the contents of the vehicle have been absorbed into the patient's bloodstream; reclaiming the vehicle; and
- 3 rectaining the venicle; and
- 4 ensuring the vehicle is intact.

5

- 6 17. Method as claimed in claim 16, wherein the method 7 further comprises the step of sealing said
- 8 medication within a permeable container.

9

- 10 18. Method as claimed in either of claims 16 or 17,
- wherein the method further comprises the step of
- 12 sealing said medication within a permeable
- 13 container during manufacture of said container.

14

- 15 19. Apparatus for mucosal administration of medication
- 16 substantially as hereinbefore described with
- 17 reference to the accompanying drawings.

18

- 19 20. Method for administration of medication
- 20 substantially as hereinbefore described with
- 21 reference to the accompanying drawings.

22

WO 01/05352

PCT/GB00/02758




Fig. 2

INTERNATIONAL SEARCH REPORT old notherally and lene settle PCT/GB 00/02758 A CLASSIFICATION OF SUBJECT HATTER IPC 7 A61J7/00 A61 A61J1/03 A61K9/70 According to International Patent Classification (IPC) or to both national classification and IPC B. FIELDS SEARCHED nimum documentation searched (classification system followed by classification symbols) IPC 7 A61J A61K Documentation exerched other than minimum documentation to the extent that such documents are included in the fields searched Bectronic data base consulted during the international search (name of data base and, where practical, search terms used) EPO-Internal C. DOCUMENTS CONSIDERED TO BE RELEVANT Relevant to claim No. Citation of document, with indication, where appropriate, of the relevant passages 1-14. US 5 167 244 A (KJERSTAD RANDY E) X 17-20 1 December 1992 (1992-12-01) column 5, line 14 - line 26 column 5, line 50 - line 57; figures 1-10,14, WO 91 03271 A (UNIV UTAH RES FOUND) X 15,19,20 21 March 1991 (1991-03-21) page 22, line 3 - line 11; figures 1-16 1-10,14 US 3 948 254 A (ZAFFARONI ALEJANDRO) X 6 April 1976 (1976-04-06) column 4, line 41 - line 47 column 20, line 24 - line 38; figures 1-5 Patent family members are listed in annex. Further documents are listed in the continuation of box C. "I" later document published after the international filing date or priority date and not in conflict with the application but cled to understand the principle or theory underlying the invention * Special extegories of cited documents: "A" document defining the ganeral state of the art which is not considered to be of particular relevance "N" document of perticular relevance; the claimed invention cannot be considered novel or cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "V" document of perticular relevance; the ctalmed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combined with one or more other such documents, such combined with one or more other such documents, such combination being obvious to a person skilled in the art. "E" earlier document but published on or after the international tiling date "L" document which may throw doubts on priority claim(s) or which is cled to establish the publication date of another citation or other special reason (as specified) document referring to an oral disclosure, use, exhibition or other means *P* document published prior to the international filing date but later than the priority date claimed "A" document member of the same patent family Date of mailing of the international search report Date of the actual completion of the international search 16/11/2000 10 November 2000 Authorized officer Name and mailing address of the ISA European Peterti Office, P.B. 8818 Petertiaan 2 NL - 2280 HV Rijeerijk Tel. (+31-70) 340-2040, Tx. 31 651 epo ni, Cametz, C

Form PCT/ISA/210 (second sheet) (Ady 1992)

Fax: (+31-70) 340-3016

1

INTERNATIONAL SEARCH REPORT

information on patent family members

inter cost Application No PCT/GB 00/02758

Patent document cited in search report	· !	Publication date	Petent family member(s)	Publication date
U\$ 5167244	A	01-12-1992	NONE	
WO 9103271	A	21-03-1991	US 5122127 A AT 149362 T AU 643233 B AU 6353990 A CA 2066425 A,C DE 69030095 D DE 69030095 T DK 491778 T EP 0491778 A ES 2097760 T JP 2580076 B JP 5500176 T NO 920856 A	16-06-1992 15-03-1997 11-11-1993 08-04-1991 06-03-1991 10-04-1997 25-09-1997 08-09-1997 01-07-1992 16-04-1997 21-01-1993 06-04-1992
US 3948254	A	06-04-1976	US 3993072 A	23-11-1976